



PESTICIDE STORAGE: Store in original container only, in an area inaccessible to children. Keep container closed when not in use. Store at room temperature.
PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain

CONDITIONS FOR SALE AND WARRANTY

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, plant injury, other property damage, as well as other unintended consequences may result because of factors beyond the control of Bayer CropScience LP. Those factors include, but are not limited to, weather conditions, presence of other materials or the manner of use or application. All such risks shall be assumed by the user or buyer.

BASIC USE INFORMATION

Serenade® Garden Disease Control Ready To Use (RTU) effectively controls or prevents a wide range of important fungal and bacterial plant diseases as listed. Serenade Garden Disease Control Ready To Use is for use on roses, vegetables, fruits, nuts, flowers, houseplants, foliage, trees and shrubs,

WHEN TO USE

For best results, treat prior to foliar disease development or at the first sign of foliar disease infection.

HOW TO USE

- · Shake well before using.
- · Spray leaves, stems and new shoots to runoff providing complete coverage of the entire plant.
- For best results, treat prior to foliar disease development or at the first sign of foliar disease infection.
- Repeat at 7-day intervals or as needed.
- Under conditions of high disease pressure, when environmental conditions favor rapid disease development (high humidity, excessive rain, extreme moisture condition, etc.), spray more
- · Do not water foliage within 4 hours of application.
- · Do not allow spray to drift from application site.
- · Serenade Garden Disease Control Ready To Use Make application at any time of day, in full sun and high temperatures, without stressing or burning foliage.
- Serenade Garden Disease Control Ready To Use can be applied up to and including the day of harvest.



Disease Control Ready To Use Controls Bacterial Spot, Powdery Mildew, Rust, Gray Mold, Leaf Blight, Scab

KEEP OUT OF REACH OF CHILDREN

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577 For PRODUCT USE Information Call 1-800-331-2867

EPA Reg. No. 264-1154 EPA Est. No. 264-MEX-001

Produced for: Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709

Serenade® is a registered trademark of Bayer. © 2013 Bayer CropScience

Product of Mexico US60384302d 130719Ab AQ1373-006





FIRST AID

IF INHALED:

- Move person to fresh air.

 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

 Call a poison control center or doctor for further
- treatment advice.

In case of emergency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. As a general precaution, when exposed to a living microbial product such as this, wear a dust particle mask when applying this product.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use only as described on this label. Not for isolation or deformulation. Do not culture

SERENADE GARDEN DISEASE CONTROL READY TO USE IS FOR USE ON VEGETABLES, FRUITS, NUTS, ORNAMENTALS, TREES, SHRUBS, FOLIAGE, FLOWERS, FLOWERING PLANTS, AND TROPICAL PLANTS

ORNAMENTALS, TREES, SHRUBS, FOLIAGE, FLOWERS, FLOWERING PLANTS, TROPICAL PLANTS:

Some pesticides can cause phytotoxic effects ranging from slight burning or browning of leaves to distorted leaves, fruit, flowers or stems. Damage symptoms may vary with the type of plant that has been treated. To test plants to be treated for potential sensitivity, apply a small amount of the product to a few leaves or the above ground portion of a plant and check within 3 days for signs of phytotoxicity. Use product according to label directions

DISEASES CONTROLLED OR SUPPRESSED BY SERENADE GARDEN DISEASE CONTROL READY TO USE ON VEGETABLES, FRUIT, NUTS, AND ORNAMENTAL PLANTS

Anthracnose (Colletotrichum spp.)

Bacteria (Erwinia spp., Pseudomonas spp., Xanthomonas spp.)

Bacterial Leaf Blight (Xanthomonas campestris)

Bacterial Speck (Pseudomonas syringae pv. Tomato) Bacterial Spot (Xanthomonas spp.) - suppression

Black Mold (Alternaria alternata)

Black Root Rot/Black Crown Rot (Alternaria spp.)

Black Spot of Rose (Diplocarpon rosea)

Botrytis (Botrytis spp.)

Downy Mildew (Bremia lactucae, Peronospora spp., and Plasmopara viticola) - suppression

Early Blight (Alternaria solani) - suppression

Fire Blight (Erwinia amylovora) - suppression

Grav Mold (Botrvtis cinerea)

Late Blight (Phytophthora infestans) - suppression

Leaf Spots (Alternaria spp., Cercospora spp., Entomosporium spp., Helminthsporium spp., Myrothecium spp., Septoria spp.)

Pin Rot (Alternaria/Xanthomonas complex) - suppression

Powdery Mildew (Uncinula necator, Erysiphe spp., Sphaerotheca spp., Oidiopsis taurica, Leveillula taurica, Podosphaera leucotricha, Oidium spp., Podosphaera spp.)

Scab (Venturia spp.) - suppression

Walnut Blight (Xanthomonas campestris)

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.